

L Number	Hits	Search Text	DB	Time stamp
1	0	log near files and user near3 activit\$4 and database and (behavior pattern) and report\$4 and statstic and unique with (id identification identifier)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 14:40
2	11	log near files and user near3 activit\$4 and database and (behavior pattern) and user near information near3 record and (id identification identifier)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 15:22
3	2	log near files and user near3 activit\$4 and database and (behavior pattern profile) and user near information near3 record and (id identification identifier) with (application session) same assign\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 15:29
4	167	(id identification identifier) with (application session) same assign\$4 and assign\$4 with user near5 (identification identifier id) with (number code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 15:32
5	1	((id identification identifier) with (application session) same assign\$4 and assign\$4 with user near5 (identification identifier id) with (number code)) and log near files and user near3 activit\$4 and database and (behavior pattern profile) and user near information near3 record	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 15:34
6	1	((id identification identifier) with (application session) same assign\$4 and assign\$4 with user near5 (identification identifier id) with (number code)) and log and user near3 activit\$4 and database and (behavior pattern profile) and user near information near3 record	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 15:35
7	1	((id identification identifier) with (application session) same assign\$4 and assign\$4 with user near5 (identification identifier id) with (number code)) and log and user near3 activit\$4 and user near information near3 record	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 15:35
8	1	((id identification identifier) with (application session) same assign\$4 and assign\$4 with user near5 (identification identifier id) with (number code)) and log and activit\$4 and user near information near3 record	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 15:35
9	1	((id identification identifier) with (application session) same assign\$4 and assign\$4 with user near5 (identification identifier id) with (number code)) and log and user near information near3 record	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 15:35
10	10	((id identification identifier) with (application session) same assign\$4 and assign\$4 with user near5 (identification identifier id) with (number code)) and log and user near3 information near3 record	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 15:35
11	7	((id identification identifier) with (application session) same assign\$4 and assign\$4 with user near5 (identification identifier id) with (number code)) and log and activit\$4 and database and (client user) near3 information near3 record	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 15:46
12	8	((id identification identifier) with (application session) same assign\$4 and assign\$4 with user near5 (identification identifier id) with (number code)) and (log database record\$5) and activit\$4 and (client user) near3 information near3 record and browser	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 15:49

13	94	((id identification identifier) with (application session) same assign\$4 and assign\$4 with user near5 (identification identifier id) with (number code)) and (log database record\$5) and activit\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 15:52
14	6	(((id identification identifier) with (application session) same assign\$4 and assign\$4 with user near5 (identification identifier id) with (number code)) and (log database record\$5) and activit\$4) and session and customiz\$5 with display\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 15:51
15	2	((id identification identifier) with (application session) same assign\$4 and assign\$4 with user near5 (identification identifier id) with (number code)) and (log database record\$5) and navigation near5 record and value	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 15:53
16	2	((id identification identifier) with (application session) same assign\$4 and assign\$4 with user near5 (identification identifier id) with (number code)) and (log database record\$5) and navigation near5 record	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 15:54
17	30	((id identification identifier) with (application session) same assign\$4 and assign\$4 with user near5 (identification identifier id) with (number code)) and (log database record\$5) and (transaction navigation activities pattern usage) near5 (record history)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 16:03
18	2	(tamir-Moshe).in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 16:05
19	2	(mediacom.net).as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 16:05